ELSEVIER

Molecular Brain Research 30 (1995) 397–399

MOLECULAR BRAIN RESEARCH

Author Index

Abraham, W.C., Mason-Parker, S.E., Williams, J. and Dragunow, M.
Analysis of the decremental nature of LTP in the dentate gyrus (30) 367
Agui, H., see Tohdoh, N. (30) 381
Arnauld, E., Arsaut, J., Tafani, J.-A.M. and Demotes-Mainard, J.
Dopaminergic control of gene transcription during striatal ontogeny: c-*fos* induction by D1 receptor activation in the developing striosomes (30) 223
Arsaut, J., see Arnauld, E. (30) 223

Baetge, E.E., see Gribkoff, V.K. (30) 29
Bain, D., see Lowenstein, P.R. (30) 169
Barone, F.C., see Fan, L. (30) 125
Barrón, S., Tusell, J.M. and Serratosa, J.
Effect of hexachlorocyclohexane isomers on calmodulin mRNA expression in the central nervous system (30) 279
Baskin, F., see Li, Y.-P. (30) 106
Baulieu, E.-E., see Guennoun, R. (30) 287
Berman, S.A., see Didier, M. (30) 17
Bird, G.S., see Donovan, D.M. (30) 327
Birtsch, Ch., see Lobron, C. (30) 70
Black, J.A., see Oh, Y. (30) 357
Black, J.A., see Zur, K.B. (30) 97
Box, T.L., see Severynse, D.M. (30) 336
Brenner, M., see Zelenika, D. (30) 251
Bulfone, A., see Zhu, W. (30) 312
Burbach, J.P.H., see Lopes da Silva, S. (30) 131
Burgess, L.H., see O'Keefe, J.A. (30) 115
Bursztajn, S., see Didier, M. (30) 17
Butterworth, N., see Dragunow, M. (30) 393

Caron, M.G., see Severynse, D.M. (30) 336
Castro, M.G., see Lowenstein, P.R. (30) 169
Chakrabarti, S., Law, P.-Y. and Loh, H.H.
Neuroblastoma $Neuro_{2A}$ cells stably expressing a cloned μ-opioid receptor: a specific cellular model to study acute and chronic effects of morphine (30) 269
Chan, S.-O., see Chiu, F.-C. (30) 77
Chiu, F.-C., Feng, L., Chan, S.-O., Padin, C. and Federoff, H.J.
Expression of neurofilament proteins during retinoic acid-induced differentiation of P19 embryonal carcinoma cells (30) 77
Clissold, P.M., see Lowenstein, P.R. (30) 169
Colapietro, A.-M., see Severynse, D.M. (30) 336
Corvol, P., see Lenkei, Z. (30) 53
Cox, J.J., see Lopes da Silva, S. (30) 131

Dahmen, J., see Zhu, W. (30) 312
Dämgen, K., see Lobron, C. (30) 70
Davis, R., see Li, Y.-P. (30) 106
Demotes-Mainard, J., see Arnauld, E. (30) 223
Desforges, M., see Séguin, D. (30) 242
Didier, M., Berman, S.A., Lindstrom, J. and Bursztajn, S.
Characterization of nicotinic acetylcholine receptors expressed in primary cultures of cerebellar granule cells (30) 17
Donovan, D.M., Vandenbergh, D.J., Perry, M.P., Bird, G.S., Ingersoll, R., Nanthakumar, E. and Uhl, G.R.
Human and mouse dopamine transporter genes: conservation of 5′-flanking sequence elements and gene structures (30) 327
Dragunow, M., Butterworth, N., Waldvogel, H., Faull, R.L.M. and Nicholson, L.F.B.
Prolonged expression of Fos-related antigens, Jun B and TrkB in dopamine-denervated striatal neurons (30) 393
Dragunow, M., see Abraham, W.C. (30) 367
Dwyer, B.E., Nishimura, R.N. and Lu, S.-Y.
Differential expression of heme oxygenase-1 in cultured cortical neurons and astrocytes determined by the aid of a new heme oxygenase antibody. Response to oxidative stress (30) 37

Epstein, A.L., see Lowenstein, P.R. (30) 169

Fan, L., Young, P.R., Barone, F.C., Feuerstein, G.Z., Smith, D.H. and McIntosh, T.K.
Experimental brain injury induces expression of interleukin-1ß mRNA in the rat brain (30) 125
Faull, R.L.M., see Dragunow, M. (30) 393
Federoff, H.J., see Chiu, F.-C. (30) 77
Feng, L., see Chiu, F.-C. (30) 77
Feuerstein, G.Z., see Fan, L. (30) 125
Fiddes, R.J., see Guennoun, R. (30) 287
Fournel, S., see Lowenstein, P.R. (30) 169
Fujii, M., see Saijoh, K. (30) 301
Furukawa, H., Kitamoto, T., Tanaka, Y. and Tateishi, J.
New variant prion protein in a Japanese family with Gerstmann-Sträussler syndrome (30) 385

Ghetti, B., see Lee, W.-H. (30) 259
Goodman, S.R., see Ma, Y. (30) 176
Gouézou, M., see Guennoun, R. (30) 287
Gribkoff, V.K., Hammang, J.P. and Baetge, E.E.
Reduced electrical excitability of PC12 cells deficient in GAP-43: comparison with GAP-43-positive cells (30) 29
Grima, B., see Zelenika, D. (30) 251
Guennoun, R., Fiddes, R.J., Gouézou, M., Lombès, M. and Baulieu, E.-E.
A key enzyme in the biosynthesis of neurosteroids, 3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4-isomerase (3β-HSD), is expressed in rat brain (30) 287

Hamajima, K., see Kawamoto, S. (30) 137
Hamill, R.W., see Maguire-Zeiss, K.A. (30) 362
Hammang, J.P., see Gribkoff, V.K. (30) 29
Handa, R.J., see O'Keefe, J.A. (30) 115
Harlan, R.E., see Lucas, L.R. (30) 181
Hattori, S., see Kawamoto, S. (30) 137
Heinemann, S., see Lobron, C. (30) 70
Hernandez, M.-C., see Zhu, W. (30) 312
Hersh, L.B., see Li, Y.-P. (30) 106
Hu, B., see Senatorov, V.V. (30) 87
Hu, X.-J. and Ticku, M.K.
Chronic ethanol treatment upregulates the NMDA receptor function and binding in mammalian cortical neurons (30) 347

Imaki, J., Yamashita, K., Yamakawa, A. and Yoshida, K.
Expression of *jun* family genes in rat retinal cells: regulation by light/dark cycle (30) 48
Ingersoll, R., see Donovan, D.M. (30) 327
Israel, M.A., see Zhu, W. (30) 312
Itoh, N., see Tagashira, S. (30) 233

Jeske, A., see Lobron, C. (30) 70
Jonk, L.J.C., see Lopes da Silva, S. (30) 131
Jouet, M., Rosenthal, A. and Kenwrick, S.
Exon 2 of the gene for neural cell adhesion molecule L1 is alternatively spliced in B cells (30) 378

Kashiba, H., Noguchi, K., Ueda, Y. and Senba, E.
Coexpression of trk family members and low-affinity neurotrophin receptors in rat dorsal root ganglion neurons (30) 158
Kawamoto, S., Uchino, S., Hattori, S., Hamajima, K., Mishina, M., Nakajima-Iijima, S. and Okuda, K.

Expression and characterization of the $\zeta 1$ subunit of the *N*-methyl-D-aspartate (NMDA) receptor channel in a baculovirus system (30) 137
Kenwrick, S., see Jouet, M. (30) 378
Kitamoto, T., see Furukawa, H. (30) 385
Kiyama, H., see Yao, G.L. (30) 373
Kobayashi, T., see Saijoh, K. (30) 301
Kondo, H., see Tanaka, O. (30) 1
Kruijer, W., see Lopes da Silva, S. (30) 131
Kumar, K. and Wu, X.-l.
Expression of β-actin and α-tubulin mRNA in gerbil brain following transient ischemia and reperfusion up to 1 month (30) 149
Kuo, W.-L., see Zhu, W. (30) 312
Kurschner, C. and Morgan, J.I.
The cellular prion protein (PrP) selectively binds to Bcl-2 in the yeast two-hybrid system (30) 165

Law, P.-Y., see Chakrabarti, S. (30) 269
Lee, M.J., see Saijoh, K. (30) 301
Lee, W.-H., Wang, G.-M., Lo, T., Triarhou, L.C. and Ghetti, B.
Altered IGFBP5 gene expression in the cerebellar external germinal layer of weaver mutant mice (30) 259
Lenkei, Z., Corvol, P. and Llorens-Cortes, C.
The angiotensin receptor subtype AT1A predominates in rat forebrain areas involved in blood pressure, body fluid homeostasis and neuroendocrine control (30) 53
Li, Y., see O'Keefe, J.A. (30) 115
Li, Y.-P., Baskin, F., Davis, R., Wu, D. and Hersh, L.B.
A cell type-specific silencer in the human choline acetyltransferase gene requiring two distinct and interactive E boxes (30) 106
Li, Z.W., see Maguire-Zeiss, K.A. (30) 362
Lin, P.X., see Sheng, H.Z. (30) 196
Lindstrom, J., see Didier, M. (30) 17
Llorens-Cortes, C., see Lenkei, Z. (30) 53
Lo, T., see Lee, W.-H. (30) 259
Lobron, C., Wevers, A., Dämgen, K., Jeske, A., Rontal, D., Birtsch, Ch., Heinemann, S., Reinhardt, S., Maelicke, A. and Schröder, H.
Cellular distribution in the rat telencephalon of mRNAs encoding for the $\alpha 3$ and $\alpha 4$ subunits of the nicotinic acetylcholine receptor (30) 70
Loh, H.H., see Chakrabarti, S. (30) 269
Lombès, M., see Guennoun, R. (30) 287
Lopes da Silva, S., Cox, J.J., Jonk, L.J.C., Kruijer, W. and Burbach, J.P.H.
Localization of transcripts of the related nuclear orphan receptors COUP-TF I and ARP-1 in the adult mouse brain (30) 131
Lowenstein, P.R., Fournel, S., Bain, D., Tomasec, P., Clissold, P.M., Castro, M.G. and Epstein, A.L.
Simultaneous detection of amplicon and HSV-1 helper encoded proteins reveals that neurons and astrocytoma cells do express amplicon-borne transgenes in the absence of synthesis of virus immediate early proteins (30) 169
Lu, S.-Y., see Dwyer, B.E. (30) 37
Lucas, L.R. and Harlan, R.E.
Cholinergic regulation of tachykinin- and enkephalin-gene expression in the rat striatum (30) 181

Ma, Y., Zimmer, W.E., Riederer, B.M. and Goodman, S.R.
The complete amino acid sequence for brain β spectrin (β fodrin): relationship to globin sequences (Mol. Brain Res. 18 (1993) 87–99) (BRESM 70581) (30) 176
Maekawa, K., see Minami, M. (30) 203
Maelicke, A., see Lobron, C. (30) 70
Maguire-Zeiss, K.A., Li, Z.W., Shimoda, L.M.N. and Hamill, R.W.
Calbindin D28k mRNA in hippocampus, superior temporal gyrus and cerebellum: comparison between control and Alzheimer disease subjects (30) 362
Mason-Parker, S.E., see Abraham, W.C. (30) 367
McIntosh, T.K., see Fan, L. (30) 125
Minami, M., Maekawa, K., Yabuuchi, K. and Satoh, M.
Double in situ hybridization study on coexistence of μ-, δ- and κ-opioid receptor mRNAs with preprotachykinin A mRNA in the rat dorsal root ganglia (30) 203
Mishina, M., see Kawamoto, S. (30) 137
Moniot, B., see Sans, N. (30) 177
Morgan, J.I., see Kurschner, C. (30) 165
Moskowitz, P.F. and Oblinger, M.M.
Transcriptional and post-transcriptional mechanisms regulating neurofilament and tubulin gene expression during normal development of the rat brain (30) 211

Nakajima-Iijima, S., see Kawamoto, S. (30) 137
Nanthakumar, E., see Donovan, D.M. (30) 327
Nelson, P.G., see Sheng, H.Z. (30) 196
Nicholson, L.F.B., see Dragunow, M. (30) 393
Nishimura, R.N., see Dwyer, B.E. (30) 37
Noguchi, K., see Kashiba, H. (30) 158

Oblinger, M.M., see Moskowitz, P.F. (30) 211
Oh, Y., Sashihara, S., Black, J.A. and Waxman, S.G.
Na^+ channel $\beta 1$ subunit mRNA: differential expression in rat spinal sensory neurons (30) 357
Oh, Y., see Zur, K.B. (30) 97
Ohta, M., see Tagashira, S. (30) 233
Ojika, K., see Tohdoh, N. (30) 381
O'Keefe, J.A., Li, Y., Burgess, L.H. and Handa, R.J.
Estrogen receptor mRNA alterations in the developing rat hippocampus (30) 115
Okuda, K., see Kawamoto, S. (30) 137
Ozaki, K., see Tagashira, S. (30) 233

Padin, C., see Chiu, F.-C. (30) 77
Perry, M.P., see Donovan, D.M. (30) 327
Pessac, B., see Zelenika, D. (30) 251
Puelles, L., see Zhu, W. (30) 312

Rassart, E., see Séguin, D. (30) 242
Raymond, J., see Sans, N. (30) 177
Reinhardt, S., see Lobron, C. (30) 70
Riederer, B.M., see Ma, Y. (30) 176
Rigolet, M., see Zhu, W. (30) 312
Robinson, G.A.
Axotomy-induced regulation of c-Jun expression in regenerating rat retinal ganglion cells (30) 61
Rontal, D., see Lobron, C. (30) 70
Rosenthal, A., see Jouet, M. (30) 378
Rubenstein, J.L.R., see Zhu, W. (30) 312

Saijoh, K., Saito, N., Lee, M.J., Fujii, M., Kobayashi, T. and Sumino, K.
Molecular cloning of cDNA encoding a bovine selenoprotein P-like protein containing 12 selenocysteines and a (His-Pro) rich domain insertion, and its regional expression (30) 301
Saito, N., see Saijoh, K. (30) 301
Sakagami, H., see Tanaka, O. (30) 1
Sans, N., Moniot, B. and Raymond, J.
Distribution of calretinin mRNA in the vestibular nuclei of rat and guinea pig and the effects of unilateral layrinthectomy: a non-radioactive in situ hybridization study (Mol. Brain Res. 28 (1995) 1 –11) BRESM 70917) (30) 177
Sashihara, S., see Oh, Y. (30) 357
Satoh, M., see Minami, M. (30) 203
Schröder, H., see Lobron, C. (30) 70
Séguin, D., Desforges, M. and Rassart, E.
Molecular characterization and differential mRNA tissue distribution of mouse apolipoprotein D (30) 242
Senatorov, V.V., Trudeau, V.L. and Hu, B.
Expression of cholecystokinin mRNA in corticothalamic projecting neurons: a combined fluorescence in situ hybridization and retrograde tracing study in the ventrolateral thalamus of the rat (30) 87
Senba, E., see Kashiba, H. (30) 158
Serratosa, J., see Barrón, S. (30) 279
Severynse, D.M., Colapietro, A.-M., Box, T.L. and Caron, M.G.
The human D_{1A} dopamine receptor gene promoter directs expression of a reporter gene to the central nervous system in transgenic mice (30) 336
Sheng, H.Z., Lin, P.X. and Nelson, P.G.
Combinatorial expression of immediate early genes in single neurons (30) 196
Shimoda, L.M.N., see Maguire-Zeiss, K.A. (30) 362
Smith, D.H., see Fan, L. (30) 125
Sumino, K., see Saijoh, K. (30) 301

Tafani, J.-A.M., see Arnauld, E. (30) 223
Tagashira, S., Ozaki, K., Ohta, M. and Itoh, N.
Localization of fibroblast growth factor-9 mRNA in the rat brain (30) 233
Tanaka, O., Sakagami, H. and Kondo, H.
Localization of mRNAs of voltage-dependent Ca^{2+}-channels: four subtypes of $\alpha 1$- and β-subunits in developing and mature rat brain (30) 1
Tanaka, Y., see Furukawa, H. (30) 385
Tateishi, J., see Furukawa, H. (30) 385
Tejani-Butt, S.M., see Xiao, Q. (30) 389

Ticku, M.K., see Hu, X.-J. (30) 347
Tohdoh, N., Tojo, S., Agui, H. and Ojika, K.
Sequence homology of rat and human HCNP precursor proteins, bovine phosphatidylethanolamine-binding protein and rat 23-kDa protein associated with the opioid-binding protein (30) 381
Tojo, S., see Tohdoh, N. (30) 381
Tomasec, P., see Lowenstein, P.R. (30) 169
Triarhou, L.C., see Lee, W.-H. (30) 259
Trudeau, V.L., see Senatorov, V.V. (30) 87
Tusell, J.M., see Barrón, S. (30) 279

Uchino, S., see Kawamoto, S. (30) 137
Ueda, Y., see Kashiba, H. (30) 158
Uhl, G.R., see Donovan, D.M. (30) 327

Vandenbergh, D.J., see Donovan, D.M. (30) 327

Waldvogel, H., see Dragunow, M. (30) 393
Wang, G.-M., see Lee, W.-H. (30) 259
Waxman, S.G., see Oh, Y. (30) 357
Waxman, S.G., see Zur, K.B. (30) 97
Wevers, A., see Lobron, C. (30) 70
Williams, J., see Abraham, W.C. (30) 367
Wu, D., see Li, Y.-P. (30) 106
Wu, X.-l., see Kumar, K. (30) 149

Xiao, Q., Yao, Y. and Tejani-Butt, S.M.
Acute administration of α-methyl-*para*-tyrosine alters levels of norepinephrine transporter mRNA in the rat brainstem (30) 389

Yabuuchi, K., see Minami, M. (30) 203
Yamakawa, A., see Imaki, J. (30) 48
Yamashita, K., see Imaki, J. (30) 48
Yao, G.L. and Kiyama, H.
Colchicine induces the GAP-43 gene expression in rat hypothalamus (30) 373
Yao, Y., see Xiao, Q. (30) 389
Yoshida, K., see Imaki, J. (30) 48
Young, P.R., see Fan, L. (30) 125

Zelenika, D., Grima, B., Brenner, M. and Pessac, B.
A novel glial fibrillary acidic protein mRNA lacking exon 1 (30) 251
Zhu, W., Dahmen, J., Bulfone, A., Rigolet, M., Hernandez, M.-C., Kuo, W.-L., Puelles, L., Rubenstein, J.L.R. and Israel, M.A.
Id gene expression during development and molecular cloning of the human Id-1 gene (30) 312
Zimmer, W.E., see Ma, Y. (30) 176
Zur, K.B., Oh, Y., Waxman, S.G. and Black, J.A.
Differential up-regulation of sodium channel α- and β1-subunit mRNAs in cultured embryonic DRG neurons following exposure to NGF (30) 97